ELSEVIER

Journal of Materials Processing Technology 194 (2007) 187

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Author Index of Volume 194

Bhattacharyya, B., 151

Chang, D.-Y., 126

Dean, T.A., 74
Dhar, S., 24
Domyo, H., 52
Dorn, L., 163
Duflou, J.R., 159
Durante, M., 145

Formisano, A., 145
Friedman, P.A., 30

Ghosh, P.K., 163
Goyal, V.K., 163

Haidemenopoulos, G.N., 63
Ho, T., 52
Hou, D., 89
Hu, S.J., 7
Huang, F., 89
Hübner, M., 163

Jang, H.S., 121
Jha, A.K., 134
Jo, Y.J., 121

Kang, B.H., 1
Kawai, K., 46
Khettabi, R., 100
Kim, S.-J., 110
Kim, W., 46
Koyama, H., 46
Kumar, G.H., 24
Kumar, S., 134, 176

Langella, A., 145
Lee, C.M., 121
Lee, M.Y., 1
Lee, N.S., 121
Lee, W.H., 121
Lesniak, D., 38
Libura, W., 38
Lin, Y.-Y., 126
Liu, Y., 89
Lo, S.-P., 126
Luckey Jr., S.G., 30

Malapati, M., 151
Malhotra, S.N., 184
Masounave, J., 100
Mesgar, A.S.-M., 15
Minutolo, F.C., 145
Miyazaki, D., 46
Mohammadi, Z., 15
Moon, Y.H., 1
Munda, J., 151

Nagels, E., 159

Orban, H., 7

Padmanabhan, K.K., 81
Purohit, R., 24

Raman, R., 184
Rao, R.V., 81

Saini, N., 24
Samaras, S.N., 63
Sang, Z., 93
Sato, M., 52
Sharma, A., 24
Shon, S.M., 1
Singh, R., 176
Singh, S., 134
Songmene, V., 100
Suk, J.-H., 121

Thakur, A., 184

Van Humbeeck, J., 159
Vodenitcharova, T., 52

Wang, H., 93
Wang, Z.R., 74
Wei, Q., 89
Weinmann, K.J., 30
Widera, G.E.O., 93

Yang, M.-Y., 110
Yin, Y., 52

Zarudi, I., 52
Zhang, L.C., 52
Zhang, Q., 74
Ziaei-Moayyed, A.A., 15

Elsevier B.V.
doi:10.1016/S0924-0136(07)00791-1

ELSEVIER

Journal of Materials Processing Technology 194 (2007) 188–190

Journal of Materials Processing Technology

www.elsevier.com/locate/jmatprotec

Subject Index of Volume 194

AFM
Dynamic wetting behavior of plasma treated PET fibers, 89
Aluminum
Effect of natural aging on the resistivity evolution during artificial aging of the Al–Zn–Mg–Zr alloy, 184
Aluminum matrix composites
Mathematical modeling of electric discharge machining of cast Al–4Cu–6Si alloy–10 wt.% SiC_p composites, 24
Aluminum sheet
Correlation of finite element analysis to superplastic forming experiments, 30
Anisotropy
The effect of anisotropy on the deformation and fracture of sapphire wafers subjected to thermal shocks, 52
ANOVA
Mathematical modeling of electric discharge machining of cast Al–4Cu–6Si alloy–10 wt.% SiC_p composites, 24
Arc characteristics
Arc characteristics and behaviour of metal transfer in pulsed current GMA welding of aluminium alloy, 163
Automatic modeling
An intelligent system for automatic modeling of progressive die, 176
Axial feed
Forming various shapes of tubular bellows using a single-step hydroforming process, 1

Bellows
Forming various shapes of tubular bellows using a single-step hydroforming process, 1
Bonding strength
Grit blasting of Ti–6Al–4V alloy: Optimization and its effect on adhesion strength of plasma-sprayed hydroxyapatite coatings, 15

CL surface
Incomplete mesh offset for NC machining, 110
Contact angle
Dynamic wetting behavior of plasma treated PET fibers, 89
Continuous casting
Modelling of microsegregation and homogenization of 6061 extrudable Al-alloy, 63
Corner filling
Analytical modeling of wall thinning during corner filling in structural tube hydroforming, 7

Die compensation
Multi-point sandwich forming of a spherical sector with tool-shape compensation, 74
Dry turning
Effect of tool lead angle and chip formation mode on dust emission in dry cutting, 100

Dust formation
Effect of tool lead angle and chip formation mode on dust emission in dry cutting, 100
Dynamic effect
Upper bound analysis and experimental investigations of dynamic effects during sinter-forging of irregular polygonal preforms, 134

Effect of pulse parameters
Arc characteristics and behaviour of metal transfer in pulsed current GMA welding of aluminium alloy, 163
Electric discharge machining
Mathematical modeling of electric discharge machining of cast Al–4Cu–6Si alloy–10 wt.% SiC_p composites, 24
Electrical resistivity
Effect of natural aging on the resistivity evolution during artificial aging of the Al–Zn–Mg–Zr alloy, 184
Electro-discharge-sintering
Mechanical properties of fully porous and porous-surfaced Ti–6Al–4V implants fabricated by electro-discharge-sintering, 121
EMM
Control of micro-spark and stray-current effect during EMM process, 151
Experimental measurement
Arc characteristics and behaviour of metal transfer in pulsed current GMA welding of aluminium alloy, 163
Extrusion
Extrusion of sections with varying thickness through pocket dies, 38
Extrusion force
Extrusion of sections with varying thickness through pocket dies, 38

Fatigue strength
Fatigue strength and residual stress of groove-rolled products, 46
FE analysis
Evaluation of the maximum slope angle of simple geometries carried out by incremental forming process, 145
Finite element analysis
Correlation of finite element analysis to superplastic forming experiments, 30
Finite element method
Connection strength and tightness of hydraulically expanded tube-to-tubesheet joints, 93
Forming limit diagrams
Evaluation of the maximum slope angle of simple geometries carried out by incremental forming process, 145
Friction coefficient
Analytical modeling of wall thinning during corner filling in structural tube hydroforming, 7

GMAW
Arc characteristics and behaviour of metal transfer in pulsed current GMA welding of aluminium alloy, 163

Elsevier B.V.
doi:10.1016/S0924-0136(07)00792-3

Graph theory and matrix approach
Rapid prototyping process selection using graph theory and matrix approach, 81
Grey prediction theory
Quality prediction model of the sheet blanking process for thin phosphorous bronze, 126
Grit blasting
Grit blasting of Ti–6Al–4V alloy: Optimization and its effect on adhesion strength of plasma-sprayed hydroxyapatite coatings, 15
Groove rolling
Fatigue strength and residual stress of groove-rolled products, 46

Heat exchanger
Connection strength and tightness of hydraulically expanded tube-to-tubesheet joints, 93
Heat treatment
Effect of natural aging on the resistivity evolution during artificial aging of the Al–Zn–Mg–Zr alloy, 184
Homogenization
Modelling of microsegregation and homogenization of 6061 extrudable Al-alloy, 63
Hydraulically expanded tube-to-tubesheet joint
Connection strength and tightness of hydraulically expanded tube-to-tubesheet joints, 93
Hydroxyapatite coatings
Grit blasting of Ti–6Al–4V alloy: Optimization and its effect on adhesion strength of plasma-sprayed hydroxyapatite coatings, 15
Hysteresis
Dynamic wetting behavior of plasma treated PET fibers, 89

Implant
Mechanical properties of fully porous and porous-surfaced Ti–6Al–4V implants fabricated by electro-discharge-sintering, 121
Incomplete triangular mesh
Incomplete mesh offset for NC machining, 110
Incremental forming
Evaluation of the maximum slope angle of simple geometries carried out by incremental forming process, 145
Inertia factor
Upper bound analysis and experimental investigations of dynamic effects during sinter-forging of irregular polygonal preforms, 134
Intermetallics
Modelling of microsegregation and homogenization of 6061 extrudable Al-alloy, 63
Internal pressure
Forming various shapes of tubular bellows using a single-step hydroforming process, 1
Interpolator
Multi-point sandwich forming of a spherical sector with tool-shape compensation, 74
Irregular polygonal preform
Upper bound analysis and experimental investigations of dynamic effects during sinter-forging of irregular polygonal preforms, 134

Knowledge-based system
An intelligent system for automatic modeling of progressive die, 176

Laser cutting
The influence of sulphur content on the quality of laser cutting of steel, 159
Laser machining
The influence of sulphur content on the quality of laser cutting of steel, 159
Load factor
Upper bound analysis and experimental investigations of dynamic effects during sinter-forging of irregular polygonal preforms, 134

Material flow
Extrusion of sections with varying thickness through pocket dies, 38
Mathematical modeling
Mathematical modeling of electric discharge machining of cast Al–4Cu–6Si alloy–10 wt.% SiC_p composites, 24
Mechanical properties
Mechanical properties of fully porous and porous-surfaced Ti–6Al–4V implants fabricated by electro-discharge-sintering, 121
Mesh offset
Incomplete mesh offset for NC machining, 110
Metal transfer
Arc characteristics and behaviour of metal transfer in pulsed current GMA welding of aluminium alloy, 163
Microsegregation
Modelling of microsegregation and homogenization of 6061 extrudable Al-alloy, 63
Micro-spark and stray-current affected zone (MSAZ)
Control of micro-spark and stray-current effect during EMM process, 151
Microstructure
Mechanical properties of fully porous and porous-surfaced Ti–6Al–4V implants fabricated by electro-discharge-sintering, 121
Multi-point sandwich forming (MPSF)
Multi-point sandwich forming of a spherical sector with tool-shape compensation, 74

Natural aging
Effect of natural aging on the resistivity evolution during artificial aging of the Al–Zn–Mg–Zr alloy, 184
NC machining
Incomplete mesh offset for NC machining, 110

Plasma treatment
Dynamic wetting behavior of plasma treated PET fibers, 89
PM2.5
Effect of tool lead angle and chip formation mode on dust emission in dry cutting, 100
Pocket dies
Extrusion of sections with varying thickness through pocket dies, 38
Polyethylene terephthalate
Dynamic wetting behavior of plasma treated PET fibers, 89
Precipitation
Effect of natural aging on the resistivity evolution during artificial aging of the Al–Zn–Mg–Zr alloy, 184
Product quality
Extrusion of sections with varying thickness through pocket dies, 38
Progressive die
Quality prediction model of the sheet blanking process for thin phosphorous bronze, 126
An intelligent system for automatic modeling of progressive die, 176
Pulsed current
Arc characteristics and behaviour of metal transfer in pulsed current GMA welding of aluminium alloy, 163

Residual stress
Fatigue strength and residual stress of groove-rolled products, 46
Rotary forming
Fatigue strength and residual stress of groove-rolled products, 46
RP process selection
Rapid prototyping process selection using graph theory and matrix approach, 81
RSM
Control of micro-spark and stray-current effect during EMM process, 151

Sapphire wafers
The effect of anisotropy on the deformation and fracture of sapphire wafers subjected to thermal shocks, 52

Sheet blanking
Quality prediction model of the sheet blanking process for thin phosphorous bronze, 126
Shielding of arc environment
Arc characteristics and behaviour of metal transfer in pulsed current GMA welding of aluminium alloy, 163
Simulation
Modelling of microsegregation and homogenization of 6061 extrudable Al-alloy, 63
Sinter-forging
Upper bound analysis and experimental investigations of dynamic effects during sinter-forging of irregular polygonal preforms, 134
Spherical shape
Multi-point sandwich forming of a spherical sector with tool-shape compensation, 74
Stamping industries
An intelligent system for automatic modeling of progressive die, 176
Steel
The influence of sulphur content on the quality of laser cutting of steel, 159
Strength and tightness
Connection strength and tightness of hydraulically expanded tube-to-tubesheet joints, 93
Sulphur content
The influence of sulphur content on the quality of laser cutting of steel, 159
Superplastic forming
Correlation of finite element analysis to superplastic forming experiments, 30

Taguchi method
Grit blasting of Ti–6Al–4V alloy: Optimization and its effect on adhesion strength of plasma-sprayed hydroxyapatite coatings, 15
Theoretical estimation
Arc characteristics and behaviour of metal transfer in pulsed current GMA welding of aluminium alloy, 163
Thermal shock
The effect of anisotropy on the deformation and fracture of sapphire wafers subjected to thermal shocks, 52
Thermal stresses
The effect of anisotropy on the deformation and fracture of sapphire wafers subjected to thermal shocks, 52
Thickness variation
Analytical modeling of wall thinning during corner filling in structural tube hydroforming, 7
Thread rolling
Fatigue strength and residual stress of groove-rolled products, 46
Three level full factorial design
Mathematical modeling of electric discharge machining of cast Al–4Cu–6Si alloy–10 wt.% SiC_p composites, 24
Ti–6Al–4V
Mechanical properties of fully porous and porous-surfaced Ti–6Al–4V implants fabricated by electro-discharge-sintering, 121
Tool geometry
Effect of tool lead angle and chip formation mode on dust emission in dry cutting, 100
Tool path
Incomplete mesh offset for NC machining, 110
Tube hydroforming
Forming various shapes of tubular bellows using a single-step hydroforming process, 1
Analytical modeling of wall thinning during corner filling in structural tube hydroforming, 7

XPS
Dynamic wetting behavior of plasma treated PET fibers, 89